bandwhich Bandwidth by process

CONCEPTS

bandwhich shows which process, connection and remote host is using bandwidth right now. It needs packet capture and /proc access, so run it with sudo or grant capabilities once.

Packets sniffed on interface
↓ match
Socket port in /proc or lsof
↓ owner
Process name, PID, remote host
How traffic gets a name

Remote hostnames come from background reverse DNS and appear a moment after the IP. Use -n for raw IPs.

IN THE TUI

Tab
Rotate which table comes first

Space
Pause or resume the display

q
Quit

Ctrl + **C**
Quit (interrupt)

Only q, Space and Tab are handled by the interface; there is no in-app help key, so check bandwhich --help for options.

The tables shrink to fit your window. Make the terminal taller to see more rows.

RUN

sudo bandwhich
Start monitoring all interfaces

sudo env "PATH=$PATH" bandwhich
Keep your PATH under sudo

RUN (cont.)

bandwhich -i *<if>*
Listen on one interface

bandwhich -n
Do not resolve IPs to hostnames

bandwhich -s
Show DNS queries

bandwhich -r
Machine-friendlier text output

VIEWS AND UNITS

bandwhich -p
Show processes table only

bandwhich -c
Show connections table only

bandwhich -a
Show remote addresses table only

bandwhich -t
Show cumulative totals

bandwhich -u bin-bytes
Bytes, powers of 1024 (default)

bandwhich -u si-bits
Bits, powers of 1000 (like ISP speeds)

bandwhich -p -t
Combine view and totals

PERMISSIONS

sudo bandwhich
Simplest: run as root

sudo setcap cap_sys_ptrace, cap_dac_read_search,cap_net_raw, cap_net_admin+ep $(command -v bandwhich)
Grant capabilities once (Linux)

getcap $(command -v bandwhich)
Check granted capabilities

Reinstalling or upgrading replaces the binary and drops its file capabilities. Run setcap again.