bottom Graphical system monitor

CONCEPTS

Keys are case-sensitive: g g jumps to the top, G (Shift+g) to the bottom.

Select widget Ctrl+arrows / H J K L
Act inside it sort, search, scroll
Expand e, Esc to return

Which widgets appear depends on the layout; network, temperature, disk and battery can be missing on your system.

MOVE AROUND

Ctrl + Up / K
Select widget above

Ctrl + Down / J
Select widget below

Ctrl + Left / H
Select widget on the left

Ctrl + Right / L
Select widget on the right

Up / k Move up in widget

Down / j Move down in widget

g › g / Home
Jump to first entry

G / End Jump to last entry

PgUp / PgDn Scroll a page

Ctrl + u / Ctrl + d
Scroll half a page

DISPLAY

e
Expand or shrink selected widget

Esc
Close dialog, search or expanded view

f Freeze or unfreeze updates

Ctrl + r
Reset display and collected data

? Open the help menu

q / Ctrl + c Quit

PROCESSES

c Sort by CPU, again reverses

m Sort by memory

p Sort by PID

n Sort by name

I Invert current sort

s / F6 Open sort menu

t / F5 Toggle tree mode

Space
Collapse or expand tree branch

Tab
Group same-name processes

P
Full command or process name

% Memory as value or percent

z Hide kernel threads

d › d / F9
Kill selected process, pick signal

M Sort by GPU memory

SEARCH

/ / Ctrl + f
Open process search

Alt + c / F1
Toggle match case

Alt + w / F2
Toggle whole word

Alt + r / F3 Toggle regex

Ctrl + u Clear the query

Query keywords

Keyword	Example	Matches
`pid`	pid=1044	Process ID
`cpu`	cpu > 0.5	CPU percent
`mem`	mem < 0.5	Memory percent
`memb`	memb > 1000 b	Memory in bytes
`user`	user=root	Owner
`state`	state=running	Process state
`read / write`	read = 1 mb	I/O per second

SEARCH (cont.)

Query operators

Operator	Meaning
`= ≠ > < ≥ ≤`	Compare values
`and && space`	Both conditions
`or ||`	Either condition
`!`	Negate condition or group
`( )`	Group conditions
`"cpu"`	Quote a word that is a keyword

DISK WIDGET

u Sort disks by used space

COMMAND LINE

`btm -b`
Basic mode, no graphs

`btm -e`
Start with widget expanded

`btm -T`
Start in tree mode

`btm -g`
Group processes by default

`btm -r <time>`
Set refresh interval

`btm -C <path>`
Use a specific config file

`btm -R`
Regex search by default

`btm -f`
Temperatures in Fahrenheit

`btm --read_only`
Block killing processes

`btm -h`
Short option overview

SETUP

A config bottom.toml is created on first launch: ~/.config/bottom/ on Linux, AppData\Roaming\bottom on Windows.

RECIPES

Heavy hitters by name

```
btm
# select process widget, then:
/
name=chrome and mem > 1 gb
```