croc Simple file transfer

START HERE

`croc` **send** *<file>*
Send, get a code phrase

`croc` **--yes** *<code>*
Accept without prompting

`croc` *<code>*
Receive with the code

`croc` **--out** *<dir>* *<code>*
Receive into a folder

`croc` **send** *<dir>*
Send a whole folder

`croc` **send --text** "*<msg>*"
Send text or a URL

`croc` **send --code** *<phrase>*
Pick your own code

CROC_SECRET=*<code>* **croc**
Receive, code not in ps

Sender croc send → `code phrase` → **Relay** matches both sides → `encrypted` → **Receiver** croc <code>

CONCEPTS

The code phrase is the shared secret: it keys the end-to-end encryption, so share it over a different channel than the transfer.

Both ends must run croc. Direct local transfer is tried first; the relay only carries ciphertext when no direct path exists.

Typing the code on the command line shows it in the process list; use CROC_SECRET on shared machines.

SEND

`croc` **send** *<file>*
Send a file

`croc` **send** *<file>* *<dir>*
Send several files and folders

`croc` **send --text** "*<msg>*"
Send text or a URL

`croc` **send --code** *<phrase>*
Use a custom code (6+ chars)

cat *<file>* **| croc send**
Send from stdin

`croc` **send --zip** *<dir>*
Zip a folder before sending

`croc` **send --qr** *<file>*
Show the code as a QR code

SEND (cont.)

`croc` **send --exclude** "*<a>*,*<b>*"
Skip paths containing these strings

`croc` **send --exclude-file** "*<p1>*,*<p2>*"
Skip exact relative paths

`croc` **send --git** *<dir>*
Respect .gitignore

`croc` **send --no-local** *<file>*
Skip the local relay, use remote

`croc` **send --hash imohash** *<dir>*
Faster hash for huge files

`croc` **send --transfers** *<n>*
Number of transfer ports

`croc` **send --port** *<n>*
Base relay port (default 9009)

RECEIVE

`croc` *<code>*
Receive with a code phrase

CROC_SECRET=*<code>* **croc**
Receive without the code in ps

`croc` **--out** *<dir>* *<code>*
Save into a directory

`croc` **--yes** *<code>*
Auto-accept the transfer

`croc` **--overwrite --yes** *<code>*
Overwrite existing files silently

RECEIVE (cont.)

`croc` **--rename** *<code>*
Keep both: save as name (1)

`croc` **--yes --stdout** *<code>* **>** *<file>*
Write received data to stdout

`croc` **--ignore-stdin**
Do not read piped stdin

`croc` **--classic**
Classic mode: plain prompt for the code

OPTIONS

`croc` **--ask send** *<file>*
Confirm on both sides

`croc` **--no-compress send** *<file>*
Skip compression (media, archives)

`croc` **--throttleUpload 500k send** *<file>*
Cap upload speed

`croc` **--local send** *<file>*
Local network only, no relay

`croc` **--curve p521 send** *<file>*
Pick the PAKE curve

`croc` **--quiet send** *<file>*
No output

`croc` **--disable-clipboard send** *<file>*
Do not copy the code

OPTIONS (cont.)

`croc` **--extended-clipboard send** *<file>*
Copy full receive command

`croc` **--remember send** *<file>*
Save these options for next time

`croc` **--debug** *<code>*
Verbose debug output

RELAY AND NETWORK

`croc` **relay**
Run your own relay (ports 9009-9013)

`croc` **relay --ports 1111,1112**
Choose relay ports (2 or more)

`croc` **--relay** *<host:9009>* **send** *<file>*
Use a specific relay

`croc` **--relay** *<host:9009>* **--pass** *<pw>* *<code>*
Receive via private relay

CROC_RELAY=*<host:9009>*
CROC_PASS=*<pw>* **croc**
Relay settings from env

`croc` **--ip** *<host:9009>* *<code>*
Connect to the sender directly

RELAY AND NETWORK (cont.)

`croc` **--socks5 127.0.0.1:9050 send** *<file>*
Go through a SOCKS5 proxy

`croc` **--connect** *<host:port>* **send** *<file>*
Go through an HTTP proxy

`croc` **send --transport relay** *<file>*
Force relay transport

STORE AND EXTRAS

`croc` **store** *<file>*
Upload encrypted for later pickup

`croc` **store --downloads 3 --expiration 3d** *<file>*
Limit downloads and lifetime

`croc` **ssh**
Host a shared terminal session

CROC_SECRET=*<invite>* **croc ssh**
Join a shared terminal

`croc` **update --check**
Look for a newer release

`croc` **update**
Install the latest release

`croc` **--revoke** *<id>*
Delete a stored transfer

`croc` **--version**
Show installed version

STORE AND EXTRAS (cont.)

`croc` **--help**
List commands and flags

`croc` **send --help**
Flags for send

croc update only works for the script install (curl https://getcroc.com | bash); with a package manager, update through it.

RECIPES

Send a project without junk

```
croc send --git --zip <project-dir>
# receiver:
croc <code>
```

Pipe a stream over croc

```
tar czf - <dir> | croc send
# receiver:
croc --yes --stdout <code> | tar xzf -
```

Private relay between your machines

```
# on the server
CROC_PASS=<pw> croc relay
# on each client
export CROC_RELAY=<server>:9009
CROC_PASS=<pw>
croc send <file>
```

Unattended receive

```
CROC_SECRET=<code> croc --yes --overwrite --out <dir>
```