Newsboat Terminal RSS reader

Feed list all subscriptions → `Enter` → **Article list** one feed → `Enter` → **Article view** reading → `u` → **URL list** links of the article

q steps back one level; Shift+Q leaves from anywhere

Filter expressions

Write	Matches
`unread_count > 0`	feeds with unread items
`title =~ "linux"`	regex, case-insensitive
`author =! "bob"`	not equal
`age between 0:7`	published in last 7 days
`tags # "news"`	word in a list
`a and (b or c)`	combine, group

CONCEPTS

Lower-case letters are plain keys; Shift+<letter> is the upper-case key. The same key can do different things in each view; ? shows the keys of the current one.

FEED LIST

`Enter`
Open the feed's article list

`Shift` + `R` Reload all feeds

`r`
Reload the selected feed

`Shift` + `A`
Mark selected feed as read

`Shift` + `C`
Mark all feeds as read

`l`
Toggle showing read feeds

`Shift` + `E`
Edit the urls file, then reload

`Shift` + `Q`
Quit from any view

ARTICLE LIST

`n` / `p`
Next / previous unread article

`o` Open in browser

`Shift` + `O`
Open in browser, mark read

`Shift` + `N`
Toggle read / unread

`Shift` + `J` / `Shift` + `K`
Next / previous entry

`j` / `k` Next / previous feed

`Ctrl` + `N` / `Ctrl` + `P`
Next / previous feed with unread

`Shift` + `D` Delete article

`s` Save article to a text file

ARTICLE VIEW

`1-9`
Open link 1 to 9 in browser

`#` Open link by number

`u` List the article's URLs

ARTICLE VIEW (cont.)

`Space` / `b`
Page down / up

LISTS AND DIALOGS

`Arrows` Move in lists

`PageUp` / `PageDown`
Move one page

`g` Sort by chosen method

`?` Show the help screen

`:` Open the command line

SEARCH AND FILTER

`/` Search feeds or articles

`f` Pick a saved filter

`Shift` + `F`
Type a filter expression

`Ctrl` + `F` Clear the filter

`t` Select a tag

`Ctrl` + `T` Clear the tag

CONFIG AND CLI

`newsboat -r`
Start and reload all feeds

`newsboat -x reload`
Reload without the UI

`newsboat -x print-unread`
Print unread count

`newsboat -i <file>`
Import OPML subscriptions

`newsboat -e > <file>`
Export OPML subscriptions

Common config options

Option	Effect
`browser`	program for links
`reload-time`	minutes between reloads
`auto-reload`	reload while running
`show-read-feeds`	hide read feeds if no
`bind-key`	rebind a key
`unbind-key`	free a key
`macro`	chain operations

CONFIG AND CLI (cont.)

urls file line

Line	Does
`<url> "tag"`	subscribe with tag
`<url> ~Title`	custom feed title
`"query:Name:<filter>"`	virtual feed of matches
`"exec:<script>"`	feed from a script
`<url> !`	hide from feed list

PODBOAT

`podboat`
Open the podcast download queue

`d`
Download the selected entry