pnpm Fast Node package manager

START HERE

`pnpm install`
Install all dependencies

`pnpm dlx <pkg>`
Run a package once

`pnpm add <pkg>`
Add a dependency

`pnpm update`
Update within ranges

`pnpm remove <pkg>`
Remove a dependency

`pnpm --filter <pkg> <cmd>`
Target one workspace package

`pnpm run <script>`
Run a package script

`pnpm install --frozen-lockfile`
Clean install for CI

Registry npm packages → `fetch once` → **Global store** shared files → `hard links` → **node_modules/.pnpm** virtual store → `symlinks` → **node_modules** direct deps only

CONCEPTS

pnpm keeps one content-addressable store on disk and hard-links files into node_modules, so repeat installs are fast and cheap.

node_modules holds only your direct dependencies, so code that imports an undeclared package fails instead of working by accident.

Workspace settings live in pnpm-workspace.yaml; per-project settings can go in .npmrc.

INSTALL AND ADD

`pnpm install`
Install all dependencies

`pnpm add <pkg>`
Add a dependency

`pnpm add -D <pkg>`
Add a dev dependency

`pnpm add <pkg>@<version>`
Add a specific version or tag

`pnpm add -g <pkg>`
Install a global package

`pnpm add -E <pkg>`
Save the exact version

`pnpm install --frozen-lockfile`
Fail if lockfile needs changes

This is already the default in CI environments; use --no-frozen-lockfile to override.

`pnpm install --prod`
Skip devDependencies

`pnpm install --ignore-scripts`
Do not run lifecycle scripts

REMOVE AND UPDATE

`pnpm remove <pkg>`
Remove a dependency

`pnpm update`
Update within package.json ranges

`pnpm update <pkg>`
Update one package

REMOVE AND UPDATE (cont.)

`pnpm update --latest`
Ignore ranges, go to latest

`pnpm update -i`
Pick updates interactively

`pnpm update -i --latest`
Pick latest versions interactively

`pnpm outdated`
List outdated packages

`pnpm dedupe`
Merge duplicate versions in lockfile

RUN SCRIPTS

`pnpm run <script>`
Run a package script

`pnpm <script>`
Shorthand for pnpm run

Works unless the name clashes with a built-in pnpm command.

`pnpm test`
Run the test script

`pnpm start`
Run the start script

`pnpm run <script> -- <args>`
Pass arguments to a script

`pnpm exec <cmd>`
Run a binary from node_modules/.bin

`pnpm dlx <pkg> [args]`
Fetch and run without installing

`pnpm create <starter>`
Scaffold from a create-* starter

`pnpm init`
Create a package.json

INSPECT

`pnpm list`
Show installed packages as a tree

`pnpm ls --depth <n>`
Limit tree depth

`pnpm ls <pkg>`
Find where a package is used

`pnpm why <pkg>`
Show what depends on a package

`pnpm audit`
Check for known vulnerabilities

WORKSPACES

`pnpm -r <cmd>`
Run a command in every package

`pnpm --filter <pkg> <cmd>`
Run in one package

`pnpm --filter <pkg>... <cmd>`
Package and its dependencies

`pnpm --filter ...<pkg> <cmd>`
Package and its dependents

`pnpm --filter "...[origin/main]" <cmd>`
Packages changed since a ref

`pnpm -w add -D <pkg>`
Add to the workspace root

`pnpm add <pkg> --workspace`
Link a local workspace package

`pnpm -r --parallel run <script>`
Run everywhere at once, no ordering

`pnpm -r run <script>`
Run in dependency order

pnpm-workspace.yaml

```
packages:
  - 'packages/*'
  - '!**/test/**'
```

Depend on a sibling with "<pkg>": "workspace:*"; pnpm swaps it for a real version on publish.

CATALOGS AND SETTINGS

Shared versions in pnpm-workspace.yaml

```
catalog:
  react: ^19.0.0
catalogs:
  legacy:
    react: ^17.0.2
```

Use them in package.json

```
"react": "catalog:"
"react": "catalog:legacy"
```

`pnpm add <pkg> --save-catalog`
Add and record it in the default catalog

`pnpm config get <key>`
Read a setting

CATALOGS AND SETTINGS (cont.)

`pnpm config set <key> <value>`
Write a setting

`pnpm approve-builds`
Allow dependency build scripts

Recent pnpm versions block dependency install scripts until approved.

STORE AND PATCHING

`pnpm store path`
Show the store location

`pnpm store prune`
Delete unreferenced packages from the store

`pnpm link <dir>`
Link a local package into this project

`pnpm patch <pkg>@<version>`
Extract a package to edit

`pnpm patch-commit <dir>`
Save the edits as a patch

`pnpm publish`
Publish to the registry

RECIPES

Start a project

```
pnpm init
pnpm add express
pnpm add -D typescript vitest
pnpm test
```

CI install and test

```
pnpm install --frozen-lockfile
pnpm -r run build
pnpm -r run test
```

Build one app and what it needs

```
pnpm --filter <app>... run build
# only changed packages and dependents
pnpm --filter "...[origin/main]" run test
```

Patch a dependency

```
pnpm patch <pkg>@<version>
# edit the printed folder
pnpm patch-commit <dir>
```