promtool Prometheus CLI toolkit

CONCEPTS

promtool ships in the Prometheus release tarball and works offline on files; only query, push and debug talk to a server.

Write rules rules.yml
↓ check rules
Unit test tests.yml
↓ test rules
Check config prometheus.yml
↓ reload
Live server query to verify

Typical rule workflow

Exit code 0 means ok, 1 an error, and 3 a lint finding when --lint-fatal is set, so every check fits a CI step.

CHECK

promtool check config *<file>*
Validate config and referenced rule files

promtool check rules *<rules.yml>*
Validate rule files

promtool check config --syntax-only *<file>*
Skip referenced files

promtool check rules --lint=all *<rules.yml>*
Enable all lint checks

promtool check config --lint-fatal *<file>*
Exit 3 on lint findings

promtool check web-config *<file>*
Validate the web config (TLS/ auth)

promtool check service-discovery *<file> <job>*
Show targets after relabeling

promtool check metrics *< <file>*
Lint metric names and types from stdin

promtool check healthy --url=*<url>*
Is the server healthy?

CHECK (cont.)

promtool check ready --url=*<url>*
Is the server ready?

TEST RULES

promtool test rules *<tests.yml>*
Run rule unit tests

promtool test rules *<a.yml> <b.yml>*
Run several test files

promtool test rules --run=*<group> <tests.yml>*
Run only matching test groups

promtool test rules --debug *<tests.yml>*
Print evaluation detail

Test file keys

Key	Purpose
`rule_files`	Rule files under test
`evaluation_interval`	Rule eval step (default 1m)
`tests[].interval`	Sample step for input_series
`input_series`	series + values pairs
`alert_rule_test`	eval_time, alertname, exp_alerts
`promql_expr_test`	expr, eval_time, exp_samples

Series value notation

Value	Means
`1+2x3`	1 3 5 7 (start, step, count)
`5x3`	5 5 5 5
`_`	missing sample
`stale`	stale marker
`_x3`	three gaps

In a test file, rule_files paths are relative to the test file, not to your shell directory.

QUERY A SERVER

promtool query instant *<url>* *'<expr>'*
Run an instant query

promtool query range *<url>* *'<expr>'* **--start=***<t>* **--end=***<t>* **--step=1m**
Run a range query

QUERY A SERVER (cont.)

promtool query instant --time=*<t> <url> '<expr>'*
Evaluate at a point in time

promtool query series *<url>* **--match='***<selector>***'**
List matching series

promtool query labels *<url> <label>*
List values of a label

promtool query labels *<url>* **__name__**
List all metric names

promtool query instant -o json *<url> '<expr>'*
Output JSON instead of PromQL text

TSDB

promtool tsdb list *<dir>*
List blocks in a data dir

promtool tsdb list -r *<dir>*
Show human-readable times and sizes

promtool tsdb analyze *<dir>*
Cardinality and churn report

promtool tsdb analyze --limit=50 *<dir> <block-id>*
Top 50 for one block

promtool tsdb dump *<dir>* **--match='***<selector>***'**
Dump samples as text

PUSH, DEBUG, PROMQL

promtool --version
Print the version

promtool --help
List all commands

RECIPES

Validate before deploy

```
promtool check config
prometheus.yml
promtool check rules rules/*.yml
promtool test rules tests/*.yml
```

Reload after a successful check

```
promtool check config
prometheus.yml \
  && curl -X POST
localhost:9090/-/reload
```