ShellCheck Shell script linter

CONCEPTS

Every finding has an SC code. Search it on the ShellCheck wiki (github.com/koalaman/shellcheck/wiki/SC2086) for the reason and the fix.

Severity order is error, warning, info, style. Exit code 0 means clean, 1 means findings, 2 means a file could not be read.

RUNNING

shellcheck *<file>*...
Check one or more scripts

shellcheck -
Read the script from stdin

shellcheck -x *<file>*
Also follow files it sources

find . -name '*.sh' -exec shellcheck {} +
Check every script in a tree

shellcheck --version
Show the installed version

DIALECT AND CHECKS

-s *<shell>*
Force sh, bash, dash, ksh or busybox

-S *<severity>*
Minimum level: error, warning, info, style

-e *<codes>*
Exclude codes, comma separated

OUTPUT AND EXIT CODES

-f tty
Readable text with code excerpts (default)

-f gcc
file:line:col lines for editors

-f json1
Machine-readable JSON with a comments array

OUTPUT AND EXIT CODES (cont.)

-f diff
Unified diff of automatic fixes

SHELLCHECK_OPTS="--shell=bash -e SC2016"
Default flags for every run

DIRECTIVES

 # shellcheck disable=SC2086
Ignore a code for the next command

 # shellcheck source=*<path>*
Tell it which file a source loads

 # shellcheck shell=bash
Set the dialect for this file

A directive on its own line before the first command applies to the whole file; anywhere else it covers only the next command or block.

CONFIG FILES

.shellcheckrc
Project config, found in script dir or parents

disable=SC2034
rc: ignore a code everywhere

external-sources=true
rc: always follow sourced files

COMMON WARNINGS

SC2086
Quote $var to stop splitting and globbing

SC2046
Quote $(...) to stop word splitting

SC2034
Variable assigned but never used

SC2164
Use cd ... || exit in case cd fails

SC1090 / SC1091
Cannot follow source; use -x or a source= directive