strace Syscall tracer

CONCEPTS

strace prints every system call a process makes: name, arguments, return value. Output goes to stderr.

Your program traced process
↓ syscall
strace ptrace stops it, logs
↓ resume
Kernel does the work

Read lines as name(args) = result; failures end in -1 plus an errno such as ENOENT.

RUN AND ATTACH

strace *<cmd>* **[args]**
Trace a new command

strace -p *<pid>*
Attach to a running process

strace -f *<cmd>*
Follow forks, clones and threads

strace -o *<file>* *<cmd>*
Write the trace to a file

strace -ff -o *<prefix>* *<cmd>*
One output file per process

FILTER SYSCALLS

strace -e trace=*<name>*,*<name>* *<cmd>*
Only these syscalls

strace -e trace=%file *<cmd>*
Syscalls taking a file name

strace -e trace=%network *<cmd>*
Network syscalls

strace -e trace=%process *<cmd>*
Fork, exec and exit

strace -e trace=%desc *<cmd>*
File descriptor syscalls

strace -e trace=%memory *<cmd>*
Memory mapping syscalls

FILTER SYSCALLS (cont.)

strace -e trace=!*<name>* *<cmd>*
Exclude a syscall

strace -P *<path>* *<cmd>*
Only calls touching this path

strace -Z *<cmd>*
Show only failed calls

OUTPUT FORMAT

strace -s *<n>* *<cmd>*
Print strings up to n bytes

strace -y *<cmd>*
Show paths for file descriptors

strace -yy *<cmd>*
Also show socket addresses and devices

strace -v *<cmd>*
Print full structures, no abbreviation

strace -e write=*<fd>* *<cmd>*
Hex dump of data written to fd

strace -e read=*<fd>* *<cmd>*
Hex dump of data read from fd

TIMING AND STATISTICS

strace -c *<cmd>*
Per-syscall summary instead of a trace

strace -C *<cmd>*
Summary plus the normal trace

strace -c -S calls *<cmd>*
Sort the summary by call count

strace -T *<cmd>*
Show time spent in each syscall

strace -tt *<cmd>*
Wall-clock time with microseconds

strace -ttt *<cmd>*
Unix epoch time with microseconds

strace -r *<cmd>*
Time since the previous syscall