TruffleHog Secret scanner

START HERE

`trufflehog git file://.`
Scan this repo's history

`trufflehog filesystem <path>`
Scan files and folders

`trufflehog github --org=<org>`
Scan a whole GitHub org

`--results=verified`
Only live credentials

`--json`
Machine-readable output

`--no-verification`
Stay offline, no API calls

`--fail`
Exit 183 on findings (CI)

`trufflehog analyze`
Inspect what a key can do

CONCEPTS

Every finding is verified by calling the provider's API. A verified hit is a live credential: rotate it first, clean history second.

Source git, files, S3...
↓ chunks
Detectors regex + keywords
↓ candidates
Verify call provider API
↓ status
Result verified / unknown / unverified

Unknown means verification failed (network or API error), not that the secret is safe. Unverified means detected but not confirmed live.

Exit code is 0 even with findings unless you pass --fail (then 183). Exit 1 means the scan itself had errors.

SCAN SOURCES

`trufflehog git <uri>`
Scan a git repo by URL or file:// path

`trufflehog git file://.`
Scan the local repo's history

`trufflehog filesystem <path>...`
Scan files and directories

`trufflehog github --org=<org>`
Scan every repo of an org

`trufflehog github --repo=<url>`
Scan one GitHub repo

`trufflehog gitlab --token=<token>`
Scan GitLab repos

`trufflehog docker --image <image>`
Scan a container image
Also accepts docker://<image:tag> and file://<image.tar>; repeat --image for several.

`trufflehog s3 --bucket=<name>`
Scan an S3 bucket

SCAN SOURCES (cont.)

`<cmd> | trufflehog stdin`
Scan piped data

`trufflehog multi-scan --config <file>`
Scan sources defined in a config

GIT AND GITHUB OPTIONS

`--since-commit <ref>`
Scan only commits after this ref

`--branch <name>`
Scan one branch

`--issue-comments`
Also scan GitHub issue comments

`--pr-comments`
Also scan pull request comments

`--exclude-archived`
Skip archived repos in an org scan

`--token <token>`
GitHub token to avoid rate limits

RESULTS AND OUTPUT

`--results=verified`
Show only confirmed live secrets

`--results=verified,unknown`
Also keep unknown (verification failed)

`--results=unverified`
Show detected but unconfirmed only

`--json / -j`
Output one JSON object per finding

`--sarif`
Output SARIF for code scanning

`--no-verification`
Skip API checks; report all matches

`--fail`
Exit 183 when results are found

RESULTS AND OUTPUT (cont.)

`--no-update`
Do not check for a newer version

`--log-level <n>`
Verbosity from 0 to 5; -1 disables

DETECTORS AND FILTERS

`--include-detectors <names>`
Run only these detectors (names or IDs)

`--exclude-detectors <names>`
Skip these detectors; wins over include

`--filter-entropy <n>`
Drop low-entropy matches, try 3.0

`--config <file>`
Load custom detectors from a YAML file

`trufflehog:ignore`
Comment on a line to skip its finding

`--no-ignore-tag`
Report lines marked trufflehog:ignore anyway

`--force-skip-binaries`
Do not scan binary files

`--force-skip-archives`
Do not open archives

`--concurrency <n>`
Number of parallel workers

ANALYZE AND INSTALL

`trufflehog analyze`
Show permissions of a found credential

`trufflehog help <command>`
Flags for one subcommand

`trufflehog --version`
Print the installed version

`brew install trufflehog`
Install on macOS or Linuxbrew

ANALYZE AND INSTALL (cont.)

`docker run --rm -it -v "$PWD:/pwd" trufflesecurity/trufflehog:latest github --repo <url>`
Run in Docker

`curl -sSfL <install.sh URL> | sh -s -- -b /usr/local/bin`
Install script from the repo's scripts/

CI

`uses: trufflesecurity/trufflehog@main`
GitHub Action step; checkout with fetch-depth: 0

`extra_args: --results=verified,unknown`
Pass flags to the Action

`trufflehog git file://. --since-commit main --branch <b> --fail`
PR-style scan of new commits

`trufflehog filesystem . --sarif --no-verification`
SARIF report for upload

RECIPES

Scan a repo, keep only live secrets

```
trufflehog git https://github.com/<org>/<repo> \
  --results=verified --json > findings.json
```

Gate a pull request in CI

```
# checkout with full history
trufflehog git file://. --since-commit main \
  --branch HEAD --results=verified,unknown --fail
```

Audit a whole org including PR discussion

```
trufflehog github --org=<org> --token=$GITHUB_TOKEN \
  --issue-comments --pr-comments --exclude-archived \
  --results=verified,unknown --json > org.json
```

Offline SARIF scan of a working tree

```
trufflehog filesystem . --no-verification --sarif > results.sarif
```